SHUTTLE CRITICAL ITEMS LIST - ORBITER

SUBSYSTEM : LANDING DECELERATION FMEA NO 02-1F -H01-T0-F01 REV: 06/27/

ASSEMBLY : NLG STRUT ACTUATOR

CRIT. FUNC: CRIT. HDW:

P/N RI :MC287-0034 P/N VENDOR:PARKER-BERTEA

102 103 104

QUANTITY :1

EFFECTIVITY: X X X

ONE PER ACTUATOR

PHASE(S): PL LO OO DO X LS

:

REDUNDANCY SCREEN: A-N/A B-N/A C-N/

PREPARED BY:

APPROVED BY:

APPROVED BY (NASA): g

DES REL N LEVERT

REL CN 2

VEHICLE

SSM K Baleures

QE

C NELSON RE M SAVALA QE

QE TES

SECH MOZZ

ITEM:

TIMING ORIFICE

FUNCTION:

CONTROLS HYDRAULIC FLUID INTERCHANGE FROM ONE SIDE OF PISTON TO THE OT TO ACHIEVE PROPER GEAR DEPLOYMENT TIME.

FAILURE MODE:

BLOCKED

CAUSE(S):

CONTAMINATION

EFFECT(S) ON:

. (A) SUBSYSTEM (B) INTERFACES (C) MISSION (D) CREW/VERICLE

- (A,B) LANDING GEAR WILL NOT DEPLOY DUE TO HYDRAULIC LOCKUP OR WILL INCREASED EXTENSION TIME.
- (C) NONE, COMMITTED TO LANDING.
- (D) POSSIBLE LOSS OF CREW/VEHICLE IF GEAR DOES NOT DEPLOY.

DISPOSITION & RATIONALE:

(A) DESIGN (B) TEST (C) INSPECTION (D) FAILURE HISTORY (E) OPERATIONAL USE

(A) DESIGN

THE ORIFICE IS PROTECTED BY AN 80 MICRON FILTER IN THE ACTUATOR CONTINUE WOULE EXTEND AND RETRACT PASSAGES AND A 5 MICRON SYSTEM SUIFILTER. SILTING IS UNLIKELY DUE TO THE ORIFICE SIZE, WHICH RANGES 1 0.077 TO 0.268 INCH FOR THE NOSE LANDING GEAR.

(B) TEST

QUALIFICATION-RANDOM VIBRATION AND ENDURANCE TESTS REPRESENTATIVE MISSION ENVIRONMENT. ACTUATOR EXTEND TIME TEST, PROOF PRESSURE TI POST TEST PROCEDURE INCLUDES DISASSEMBLY AND INSPECTION OF WORLD COMPONENTS.

ACCEPTANCE-ACTUATOR EXTEND TIME TEST, UNIT CLEANLINESS TEST.

SHUTTLE CRITICAL ITEMS LIST - ORBITER

SUBSYSTEM : LANDING DECELERATION FMEA NO 02-1F -H01-T0-F01 REV:06/27/

OMRSD-EXTEND NOSE LANDING GEAR FROM CREW STATION, PERFORMED PRIOR TO E MISSION. POST LANDING HYDRAULIC RESERVOIR EFFLUENT SAMPLES, PERFORMENTER EVERY FLIGHT; VERIFY THAT RESULTS OF FLUID SAMPLE CONTAMINATION OF SPECIFICATION. GENERAL REQUIREMENT 5.2, VERIFY ALL HYDRAULIC FLUISED TO SERVICE VEHICLE IS PER MIL-H-83282.

(C) INSPECTION

RECEIVING INSPECTION

CERTIFICATION RECORDS AND CERTIFIED TEST REPORTS ARE MAINTAIN CERTIFYING MATERIAL AND PHYSICAL PROPERTIES.

CONTAMINATION CONTROL

SUPPLIER TEST STAND FLUID PARTICLE COUNT CHECKED TWICE A DAY, W APPLICABLE. FLUID CONTAMINATION PARTICLE COUNT CONDUCTED PRIOR TO A AFTER ATP, A FLUID SAMPLE IS DRAWN TO VERIFY FLUID CLEANLINESS. CONTAMINATED, ACTUATOR IS CYCLED AND FLUSHED UNTIL CONFIRMATION ATTAINED. SYSTEM CLEANLINESS IS VERIFIED TO LEVEL 220 PER MAO110-30

CRITICAL PROCESSES

HEAT TREAT PROCESS IS VERIFIED BY INSPECTION.

NDE

INSPECTION VERIFIES THAT DETAIL PARTS ARE MAGNETIC PARTICLE OR PENETR INSPECTED, DEPENDING ON THE ALLOY.

ASSEMBLY/INSTALLATION

INSPECTION OF DIMENSIONS AT FINAL INSPECTION. COMPONENT PARTS VERIFUNDAMAGED PRIOR TO CLEANING AND PACKAGING.

TESTING

ATP IS VERIFIED BY INSPECTION.

HANDLING/PACKAGING

PARTS PROTECTION TO PRECLUDE CONTAMINATION DURING SHIPMENT IS VERIFIED INSPECTION.

(D) FAILURE HISTORY

THERE IS NO HISTORY OF FAILURE FOR THIS FAILURE MODE.

(E) OPERATIONAL USE

NONE